

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	0	((choos\$5 or select\$5) near4 ((compress\$5 near2 mode) near3 configurat\$5)) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and @ad<"20020329""."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:16
L9	2	((compress\$5 near2 mode) near3 configurat\$5) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and @ad<"20020329""."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:17
L10	3	(compress\$5 near3 configurat\$5) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and @ad<"20020329""."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:18
L11	2	(compress\$5 near3 configurat\$5) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and "370"/\$.ccls. and @ad<"20020329""."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:18
L12	2	(compress\$5 near3 configurat\$5) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and "370"/329,331,335,342.ccls. and @ad<"20020329""."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:20
L13	0	((enabl\$5 or allow\$5 or permi\$6 or facilitat\$5) near4 ((TGL or transmission gap length) or (TGPL or transmission gap pattern length))) same (umts or gsm) and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:34
L14	0	((enabl\$5 or allow\$5 or permi\$6 or facilitat\$5) near4 ((TGL or transmission gap length) or (TGPL or transmission gap pattern length))) and (umts or gsm) and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:34

L15	16	((enabl\$5 or allow\$5 or permi\$6 or facilitat\$5) near4 ((TGL or transmission gap length) or (TGPL or transmission gap pattern length))) and @ad< "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:35
L16	0	((enabl\$5 or allow\$5 or permi\$6 or facilitat\$5) near4 ((TGL or transmission gap length) or (TGPL or transmission gap pattern length))) and "370"/329,331,335,342.ccls. and @ad< "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:36
L17	0	((enabl\$5 or allow\$5 or permi\$6 or facilitat\$5) near4 ((TGL or transmission gap length) same (TGPL or transmission gap pattern length))) and @ad< "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:39
L18	0	((enabl\$5 or allow\$5 or permi\$6 or facilitat\$5 or interoper\$8 or integrat\$5) with ((TGL or transmission gap length) and (TGPL or transmission gap pattern length))) and @ad< "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:40
L19	0	((enabl\$5 or allow\$5 or permi\$6 or facilitat\$5 or interoper\$8 or integrat\$5 or conver\$6) with ((TGL or transmission gap length) and (TGPL or transmission gap pattern length))) and @ad< "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:41
L20	7	(compress\$5 near3 (mode or configuart\$5)) and (TGL or transmission gap length) and (TGPL or transmission gap pattern length) and "370"/\$.ccls. and @ad< "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:42
L21	0	((tgl or transmission gap length) near4 ("equal" near2 "14")) and ((tgpl or transmission gap pattern length) near4 ("multi\$5" near2 ""6"")) and @ad< ""20020329""	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:48
L22	0	((tgl or transmission gap length) near4 ("not" near3 ("equal" near2 "14"))) and ((tgpl or transmission gap pattern length) near4 ("multi\$5" near2 ""6"")) and @ad< ""20020329""	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:50

L23	0	((tgl or transmission gap length) near4 ("not" near3 ("equal" near2 "14"))) and @ad<""20020329""	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:50
L24	0	((tgpl or transmission gap pattern length) near4 ("multi\$5" near2 ""6"")) and @ad<""20020329""	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:51
L25	3	((tgl or transmission gap length) near4 ("equal" near2 "14") or "14") and @ad<""20020329""	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:55
L26	2	((tgl or transmission gap length) near4 ("equal" near2 "14") or "14") and "370"/329,331,335,342.ccls. and @ad<""20020329""	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 10:57
L27	2	((umts or universal mobile telecommunications system) near3 (transmission near2 gap)) and @ad<""20020329""	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 11:01
L28	2	((GSM or global system mobile) near3 (transmission near2 gap)) and @ad<""20020329""	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 11:04
L29	2	(compress\$5 near3 configurat\$5) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and ("370"/\$.ccls. or "455"/\$.ccls.) and @ad<"20020329".	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 11:05
L30	8	(compress\$5 near3 (mode or configuart\$5)) and (TGL or transmission gap length) and (TGPL or transmission gap pattern length) and ("370"/\$.ccls. or "455"/\$.ccls.) and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/14 11:06
S1	13	(mobile adj communicat\$4) and compression and TGL or (transmission adj gap adj length) and TGPL or (transmission adj gap adj pattern adl length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/03 18:53

S2	23	(mobile adj communicat\$4) and compress\$3 and TGL or (transmission adj gap adj length) and TGPL or (transmission adj gap adj pattern adl length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/03 18:54
S3	11	S2 and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/03 18:54
S4	5	(wirless adj system) and (compress\$3 adj3 parameter) near4 TGL or (transmission adj gap adj length) near4 (transmission adj "3" time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 16:23
S9	59	(wirless adj system) and (compress\$3 adj3 parameter) near4 TGL or (transmission adj gap adj length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 16:23
S10	23	(wirless adj system) and (compress\$3 adj3 parameter) near4 TGL or (transmission adj gap adj length) near4 TGPL or (transmission adj gap adj pattern adj length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 16:26
S11	8	S10 and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/10 16:26
S12	23684	UMTS or (universal adj mobile adj telephony adj system) near8 GSM or (global adj mobile adj system) near9 TGPL or (transmission adj gap adj pattern adj length) near8 TGL or (transmission adj gap adj length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 14:35
S13	8468	S12 and @ad<"20030328"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 14:36
S14	0	S13 and (TGL near3 group) and (TGPL near3 group)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 14:37

S15	0	S13 and (TGL near3 group)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 14:38
S16	25	S13 and TGL or (Transmission adj gap adj length) near3 group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 17:40
S17	0	"09792455".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 17:40
S18	1	"09792455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 17:40
S19	18	((choos\$5 or select\$5 or determin \$5 or defin\$5) near3 compress \$5) and (TGL or transmission gap length) and "370"/\$.ccls. and @ad< "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:09
S20	13	((choos\$5 or select\$5 or determin \$5) near8 compress\$5) and (TGL or transmission gap length) and "370"/\$.ccls. and @ad< "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:17
S21	13	((choos\$5 or select\$5 or determin \$5) near8 compress\$5) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and "370"/\$.ccls. and @ad< "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:45
S22	2	((choos\$5 or select\$5 or determin \$5) near8 (compress\$5 near3 configurat\$5)) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and "370"/\$.ccls. and @ad< "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:52
S23	2	((choos\$5 or select\$5 or determin \$5) near8 (configurat\$5 near4 compress\$5)) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and "370"/\$.ccls. and @ad< "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:55

S24	2	((choos\$5 or select\$5 or determin\$5) with (configurat\$5 near4 compress\$5)) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and "370"/\$.ccls. and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:55
S25	2	((choos\$5 or select\$5 or determin\$5) same (configurat\$5 near4 compress\$5)) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and "370"/\$.ccls. and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:55
S26	2	((choos\$5 or select\$5 or determin\$5) near8 (configurat\$5 near4 compress\$5)) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:56
S27	12	((choos\$5 or select\$5 or determin\$5) near8 (compress\$5 near3 (mode or configuart\$5))) and ((TGL or transmission gap length) or (TGPL or transmission gap pattern length)) and "370"/\$.ccls. and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 12:58
S28	0	(compress\$5 near3 mode near3 configuart\$5) and (TGL or transmission gap length) and (TGPL or transmission gap pattern length) and "370"/\$.ccls. and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:20
S29	0	(compress\$5 near3 configuart\$5) and (TGL or transmission gap length) and (TGPL or transmission gap pattern length) and "370"/\$.ccls. and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:20
S30	7	(compress\$5 near3 (mode or configuart\$5)) and (TGL or transmission gap length) and (TGPL or transmission gap pattern length) and "370"/\$.ccls. and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:21
S31	0	(choos\$5 or select\$5 or determin\$5) same (TGL or transmission gap length) same (TGPL or transmission gap pattern length) and compress\$4 and "370"/\$.ccls. and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:45

S32	4	(choos\$5 or select\$5 or determin\$5) and (TGL or transmission gap length) same (TGPL or transmission gap pattern length) and compress\$4 and "370"/\$.ccls. and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:46
S33	7	(choos\$5 or select\$5 or determin\$5) and (TGL or transmission gap length) and (TGPL or transmission gap pattern length) and compress\$4 and "370"/\$.ccls. and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:47
S34	0	(overlap\$4 near4 (TGL or transmission gap length)) and "370"/\$.ccls. and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 14:16
S35	6	(overlap\$4 near4 (transmission gap)) and "370"/\$.ccls. and @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 14:17
S36	2	"20050286468".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/03/12 08:30

7/ 14/ 2010 11:11:54 AM

C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10509511.wsp